

according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 09/23/2021 Revised on: 09/23/2021

### 1 Identification

· Product identifier:

· Product Name: Terra Paint - Waterborne Clay Paint

• **Product Number:** 196-5000 thru 196-5017 – All Colors

· Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

· Manufacturer/Supplier:

Dixie Belle Paint Company

8019 Ridge Road

Port Richey, FL 34668

**USA** 

· Information telephone number: 813-909-1962

· Emergency telephone number: ChemTrec 1-800-424-9300

## 2 Hazard identification

· Classification of the substance or mixture:

Carc. 1A H350 May cause cancer.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms:



GHS08

- · Signal word: Danger
- · Hazard-determining components of labeling:

titanium dioxide

Quartz (SiO2)

· Hazard statements:

May cause cancer.

· Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



 $\begin{aligned} & \text{Health} = 1 \\ & \text{Fire} = 0 \end{aligned}$ 

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*1

Fire = 0

REACTIVITY 0 Reactivity = 0

according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 09/23/2021 Revised on: 09/23/2021

**Product Name: Terra Paint** 

· Other hazards:

· Results of PBT and vPvB assessment:

PBT: Not applicable.vPvB: Not applicable.

(Contd. from page 1)

## 3 Composition/information on ingredients

- · Chemical characterization: Mixture
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Hazardous components:					
471-34-1	calcium carbonate	20-<25%			
1332-58-7	Kaolin	20-<25%			
13463-67-7	titanium dioxide	1-2.5%			
14808-60-7	Quartz (SiO2)	0.1-≤1%			
12174-11-7	Attapulgite (Palygorskite) (fibrous dust)	0.1-≤0.5%			

### 4 First-aid measures:

- · Description of first aid measures:
- · For inhalation: Supply fresh air; consult doctor in case of complaints.
- For skin contact: Generally the product does not irritate the skin.
- · For eye contact: Rinse opened eye for several minutes under running water.
- · For swallowing:

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

### 5 Fire-fighting measures:

- · Extinguishing media:
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- · **Protective equipment:** Wear self-contained respiratory protective device.

### 6 Accidental release measures:

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 09/23/2021 Revised on: 09/23/2021

**Product Name: Terra Paint** 

(Contd. from page 2)

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binder or other inert absorbent).

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage:

- · Handling:
- **Precautions for safe handling:** No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- $\cdot$  Conditions for safe storage, including any incompatibilities:
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s): No further relevant information available.

#### 8 Exposure controls/personal protection:

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters:

	· Com	pon	ents wi	tn IIm	it values tr	ıat :	uire monitoring a	t tne workplace:
	471-3	34-1	calciu	m car	bonate			
ı	DEI	¥		- 1	at with without	,		

PEL	Long-term value: 15* 5** mg/m <sup>3</sup>
	*total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
	*total dust **respirable fraction
TLV	TLV withdrawn

### 1332-58-7 Kaolin

PEL	Long-term value: 15* 5** mg/m³
	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
	*total dust **respirable fraction
TLV	Long-term value: 2* mg/m³ E: as respirable fraction
	E: as respirable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before eating, smoking, using the restroom and at the end of the workday.

· Breathing equipment:

In case of brief exposure or low concentrations, use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 09/23/2021 Revised on: 09/23/2021

**Product Name:** Terra Paint

(Contd. from page 3)

#### · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties				
<ul> <li>Information on basic physical and chemical properties:</li> <li>General Information:</li> <li>Appearance:</li> </ul>				
Form:	Liquid – similar to cake batter			
Color:	As applicable			
· Odor:	Mild			
· Odour threshold:	Not determined.			
$\cdot$ pH-value at 20 °C (68 °F):	8.8			
<ul> <li>Change in condition:</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. > 100 °C (> 212 °F)			
· Flash point:	> 94 °C (> 201 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Ignition temperature:				
Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits: Lower: Upper:	Not determined. Not determined.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)			
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density:</li> <li>Vapour density:</li> <li>Evaporation rate:</li> </ul>	1.5 g/cm <sup>3</sup> (12.518 lbs/gal) Not determined. Heavier than air. Slower than ether.			
· Solubility in / Miscibility with: Water:	Fully miscible.			
· Partition coefficient (n-octanol/wate	· Partition coefficient (n-octanol/water): Not determined.			

(Contd. on page 5)

according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 09/23/2021 Revised on: 09/23/2021

Product Name: Terra Paint

	(Contd. from page
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	.09 %
Water:	43.2 %
VOC content:	<25 g/l
Solids content:	56.7 %
· Other information:	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity:
- · Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Do not store or use near sparks, flame, or other ignition sources.
- · Incompatible materials: Strong acids and alkalis, bleach, strong oxidizers.
- · Hazardous decomposition products:

Burning may yield carbon monoxide, carbon dioxide, oxides of nitrogen, and various hydrocarbons.

#### 11 Toxicological information

- · Information on toxicological effects:
- $\cdot$  Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories:

8					
· IARC (International Agency for Research on Cancer):					
13463-67-7	titanium dioxide	2B			
14808-60-7	Quartz (SiO2)	1			
12174-11-7	Attapulgite (Palygorskite) (fibrous dust)	2B			
· NTP (Natio	NTP (National Toxicology Program):				
14808-60-7	Quartz (SiO2)	K			
· OSHA-Ca	· OSHA-Ca (Occupational Safety & Health Administration):				
None of the	None of the ingredients is listed.				

# 12 Ecological information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.

(Contd. on page 6)

according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 09/23/2021 Revised on: 09/23/2021

Product Name: Terra Paint

(Contd. from page 4)

- · Behavior in environmental systems:
- Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects: No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

		_
UN-Number:	Net Developed	
DOT, ADN, IMDG, IATA	Not Regulated	
UN proper shipping name:		
DOT, ADN, IMDG, IATA	Not Regulated	
Transport hazard class(es):		
DOT, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group:		
DOT, IMDG, IATA	Not Regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user:	Not applicable.	
Transport in bulk according to Annex l	II of	
MARPOL73/78 and the IBC Code:	Not applicable.	

US

(Contd. on page 7)

according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 09/23/2021 Revised on: 09/23/2021

Product Name: Terra Paint

(Contd. from page 6)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA:
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

471-34-1 calcium carbonate 1332-58-7 Kaolin

13463-67-7 titanium dioxide

14808-60-7 Quartz (SiO2)

· Proposition 65:

#### · Chemicals known to cause cancer:

13463-67-7 titanium dioxide 14808-60-7 Quartz (SiO2)

12174-11-7 Attapulgite (Palygorskite) (fibrous dust)

1333-86-4 Carbon black

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories:

· EPA (Environmental Protection Agency)						
111-76-2 2-	butoxyethanol	NL				
· TLV (Thre	· TLV (Threshold Limit Value established by ACGIH)					
1332-58-7	Kaolin	A4				
13463-67-7	titanium dioxide	A4				
14808-60-7	Quartz (SiO2)	A2				
· NIOSH-Ca	NIOSH-Ca (National Institute for Occupational Safety and Health)					
13463-67-7	titanium dioxide					
14808-60-7	Quartz (SiO2)					

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms:



· Signal word: Danger

according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 09/23/2021 Revised on: 09/23/2021

Product Name: Terra Paint

(Contd. from page 7)

### · Hazard-determining components of labeling:

titanium dioxide

Quartz (SiO2)

#### · Hazard statements:

May cause cancer.

#### · Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Laboratory
- · Contact: Laboratory Manager
- · Date of preparation / last revision: 09/23/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) Carc. 1A: Carcinogenicity, Hazard Category 1A

US