WoodUbend_®

SAFETY DATA SHEET

Glass Plaster



Page: 1
Compilation date: 25/09/2023

Revision date: -

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Glass Plaster

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available

Application of the substance / the mixture: arts & crafts

1.3 Details of the supplier of the safety data sheet

Company name: WoodUbend Ltd.

Unit V, Scotch Park Trading Estate

Forge Ln

Leeds, LS12 2PR

Tel: +44 (0) 113 289 1222

Fax: n/a

Email: info@woodubend.com

1.4 Emergency telephone number

European Emergency Tel.: 112

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 CLP

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]:

Void

Hazard statements: Void

Precautionary statements: P102 Keep out of reach of children.

Additional Information: EUH208, Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-

methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce al allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Section 3: Composition/information on ingredients

3.2 Mixtures

Description: Consisting of the following components.

Ingredients according to Regulation (EU) 2020/878:			
CAS: 2634-33-5 EINECS: 220-120-9 Index Number: 613-088-00-6	Eye Bam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1, H317 : C ≧ 0.05	< 0.05%	
CAS: 55965-84-9 EINECS: 611-341-5 Index Number: 613-167-00-5	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071	≥ 0.00025 - <0.0015%	
	Specific concentrations limits: Skin Corr. 1C; H314: $C \ge 0.6\%$ Skin Irrit. 2; H315: $0.06\% \le C \le 0.6\%$ Eye Dam. 1; H318: $C \ge 0.6\%$ Eye Irrit. 2; H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1A; H317: $C \ge 0.0015\%$		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: No special measures required. Take affected persons out into the fresh air.

After Inhalation: If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet.

Notify physician. Seek medical treatment in case of complaints.

After skin contact: Wash the skin immediately with soap and water. Remove contaminated clothing. In

case of skin irritation, consult a physician.

After eye contact: Rinse opened eye for at least 15 minutes under running water. Remove contact lenses

and continue rinsing for several minutes If symptoms persist, consult a doctor. Avoid

strong water jet-risk of cornea damage, consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Repeated or prolonged exposure may cause irritation of eyes and skin.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting Measures

5.1 Suitable extinguishing agents:

CO2, dry chemical powder, foam, sand. Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

The pressure in sealed containers can increase under the influence of heat.

5.3 Advice for firefighters

Protective equipment:

During fire-fighting wear suitable respiratory device (SCBA) with a full face-piece operated in positive pressure mode. Cool closed containers exposed to fire by spraying water.

Additional information

Collect contaminated firefighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions:

Protective equipment and emergency procedures:

Wear protective equipment.

Keep unprotected persons away.

Ensure adequate ventilation.

Avoid inhalation of vapours. Avoid contact with skin and eyes.

6.1.1 For non-emergency personnel

Avoid contact with dripping or leaking material

6.1.2 For emergency responders

First-aid responders must wear protective clothing, gloves, goggles, and respiratory device with filter type A.

6.2 Environmental precautions:

Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Prevent further leakage or spillage if safe to do so.

Large spills should be collected mechanically (remove by pumping) for disposal.

Soak up with inert absorbent material (e.g., sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers.

Clean contaminated floors and objects thoroughly while observing environmental regulations. Dispose of in accordance with local regulations.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles. Avoid contact with skin, eyes, and clothing. Avoid inhaling vapours. Avoid splashes or spray in enclosed areas. Use in well ventilated areas. Avoid prolonged exposure with skin. Do not breathe dust. Do not ingest.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in a cool location. Store in original container. Keep in properly labelled containers. Store between 5 and 35 °C in a dry, well-ventilated place away from sources of heat, ignition, and direct sunlight. Do not freeze.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

None.

7.3 Specific end use(s):

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered when handling chemicals.

Keep away from food, beverages, and feed.

Clean skin thoroughly immediately after handling the product.

Do not eat, drink, or smoke while using the product.

Avoid contact with skin and eyes.

Do not breathe vapours or mists.

Respiratory protection:



In case of insufficient ventilation use suitable respiratory protective device.

Hand protection:



Protective gloves resistant to chemicals (standard EN 374-1)

The glove material must be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves Nitrile rubber

Break through time: 480 min Glove thickness: 0.1 - 0.4 mm Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore, a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Tightly sealed goggles (EN 166).

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information:

Physical state:PasteColour:Crystal clearOdour:Slight acrylicOdour threshold:Not determinedMelting point/freezing point:Not determinedBoiling point or initial boiling point and boiling range:Not determinedFlammability:Not applicable

Lower and upper explosion limit

Lower: Not determined Upper: Not determined Flash point: Not determined

Auto-ignition temperature: Product is not self-igniting

Decomposition temperature: Not determined pH: 6.5 – 8.5

Viscosity:

Kinematic viscosity: Not determined **Kinematic viscosity, Dynamic at 20 °C:** 100 – 1000 mPas

Solubility

Water: Fully miscible

Partition coefficient n-octanol/water (log value): Not determined

Vapour pressure at 20 °C: 23 hPa

Density and/or relative density

Density:Not determinedRelative density at 20 °C:0.9 – 1.1Vapour density:Not determined

9.2 Other safety characteristics

Form: Paste

9.2.1. Important information on protection of health and environment, and on safety

Auto-ignition temperature: Not determined

Explosive properties: Product does not present an explosion hazard

Cloud point / clarification point:

Oxidising properties: Not considered as oxidising.

Evaporation rate: No determined

Information regarding physical hazard classes

Explosives: Void Void Flammable gases: Aerosols: Void Oxidising gases: Void Gases under pressure: Void Flammable liquids: Void Flammable solids: Void Self-reactive substances and mixtures: Void **Pyrophoric liquids:** Void **Pyrophoric solids:** Void Self-heating substances and mixtures: Void

Substances and mixtures, which emit

flammable gases in contact with water:

Oxidising liquids:

Oxidising solids:

Void

Organic peroxides:

Corrosive to metals:

Desensitised explosives:

Void

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Thermal decomposition / conditions to be avoided. No

decomposition if used and stored according to specifications.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Avoid high temperatures and direct sunlight.
 10.5 Incompatible materials No further relevant information available.
 10.6 Hazardous decomposition products
 No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral LD50 1,020mg/kg(rat)
Dermal LD50 >2,000mg/kg(rat)

Skin corrosion/irritation: Based on available data, the classification criteria are not met. **Serious eye damage/irritation:** Based on available data, the classification criteria are not met. **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met. **Reproductive toxicity:** Based on available data, the classification criteria are not met.

5

STOT - single exposure: Based on available data, the classification criteria are not met. **STOT - repeated exposure:** Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Additional Information: Repeated dose toxicity Based on available data; the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties: None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:		
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
EC50 (72h)	0.15 mg/l (sec)	
EC50 (48h)	1.1 mg/l (daphnia magna)	
LC50 (96h)	1.6 mg/l (Oncorhynchus mykiss)	
CAS: 55965-84-9 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		
EC50 (48h)	0.16 mg/l (daphnia magna)	
LC50 (96h)	0.19 mg/l (Oncorhynchus mykiss)	

12.2 Persistence and degradability

98 %, OECD Test Guideline 302, The product can be eliminated from water by abiotic processes, e.g., adsorption on activated sludge.

12.3 Bio-accumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture contains no substance that is considered to be persistent, bio accumulative or toxic (PBT) and any substance which can be considered as a highly resistant or highly bio accumulative (vPvB).

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Additional ecological information:

General notes: Not hazardous for water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose according to National Regulations.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

Recommended cleansing agents:

Water, if necessary, together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA Class Void

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards: Not applicable14.6 Special precautions for userNot applicable

14.7 Maritime transport in bulk according to

IMO instruments

Not applicable

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Other regulations, limitations, and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC)...

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Training hints:

Suitable training on safety in handling, storing, and converting the product should be given to the employees based on all the existing information.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1